



Literaturverzeichnis

zu

Gerhard Schroth

Peri-/Postpartale Depression

Eine (primäre) Aufgabe der Psychotherapie

Psychotherapie Aktuell

Heft 2.2015

ISSN 1869-0335

Bennett IM, Palmer S, Marcus S, et al. (2009) One end has nothing to do with the other: patient attitudes regarding help seeking intention for depression in gynecologic and obstetric settings. Arch Womens Ment Health 12: 301–308

Gavin NI, Gaynes BN, Lohr KN, Meltzer-Brody S, Gartlehner G, Swinson T (2005) Perinatal depression: A systematic review of prevalence and incidence. Obstet Gynecol 106: 1071–1083.

Gentile S (2010) On Categorizing Gestational, Birth, and Neonatal Complications Following Late Pregnancy Exposure to Antidepressants: The Prenatal Antidepressant Exposure Syndrome, CNS Spectr. 15(3): 167-185.

Goertz-Schroth A (2013) Prenatal Bonding (BA) and Doula work, Somatic Psychotherapy Today, Spring 2013, 12-13, 28.

Gröhe F (2003) Nehmt es weg von mir - Depression nach der Geburt eines Kindes. Vandenhoeck & Ruprecht, Göttingen

Härter M, Klesse C, Bermejo I, Schneider F, Berger M (2010) Unipolar depression: diagnostic and therapeutic recommendations from the current S3/National Clinical Practice Guideline. Deutsches Ärzteblatt Int 107(40): 700–708

Hidas G, Raffai J, Vollner J (2002) Lelki köldökzsinór - Beszélgetek a kisbabámmal. Válasz, Budapest

Hornstein C, Trautmann-Villalba P (2010) Psychotherapie von mütterlichen Erkrankungen im Zusammenhang von Schwangerschaft und Geburt. In: Arolt V, Kersting A. (Hg) Psychotherapie in der Psychiatrie. Springer, Berlin Heidelberg New York

Hübner-Liebermann B, Hausner H; Wittmann M (2012) Peripartale Depressionen erkennen und behandeln, Deutsches Ärzteblatt Int 109(24): 419-424;

Linder R (2006) How women can carry their unborn babies to term - The prevention of premature birth through psychosomatic methods, J Prenat Perinat Psychol Health 21: 293-304

Marcus SM, Flynn HA, Blow FC, Barry KL (2003) Depressive symptoms among pregnant women screened in obstetrics settings. J Womens Health 12: 373–380

Nakhai-Pour HR, Broy P, Bérard A (2010) Use of antidepressants during pregnancy and the risk of spontaneous abortion. Canad Med Assoc J 182(10).

Rifkin-Graboi A, Bai J, Chen H et al. (2013) Prenatal Maternal Depression Associates with Microstructure of Right Amygdala in Neonates at Birth Biol Psychiatry 74: 837–844

Schroth G (2010) Prenatal Bonding (BA) - A Method for Encountering the Unborn, Introduction and Case study. J Prenat Perinat Psychol Health 25(1): 3-16.

Urato A C (2014) Systematic review and meta-analysis: Antidepressant exposure in utero is associated with an increased risk of cardiovascular malformation Evid Based Med 19:72.

Urato A C (2006) Concerns regarding antidepressant drug use during pregnancy J Psychiatry Neurosci. 31(6): 411.

World Health Organisation (WHO): The Global Burden of Disease – 2004 - Update 2012e. Available at: media note 9.10.2012 www.who.int/healthinfo/global_burden_disease/GBD_report_2004update_full.pdf

World Health Organisation (WHO): 2012/04 borntoosoon-report: Born too soon: the global action report on preterm birth.

Korrespondenz an:

Dr. med. Gerhard Schroth

Im Hintermorgen 27

76835 Gleisweiler,

ba@schroth-apv.com

<http://www.schroth-apv.com/Bindungsanalyse.html>